


Tabella riassuntiva valvole langiate UNI EN 1092-1

Summary table langed valves UNI EN 1092-1




UNI FLANGED VALVES

NGI Code	Family	Inlet Connection	Flanged Type	Outlet Connection	Flanged Type	H	HI	"L max Valve model S"	"L max Valve model L"	"L max Valve with ring nut"
28	D10/C-FF	DN15 PN40	Fixed	DN20 PN40	Fixed	78	78	136	//	151
31	D10/C-FF	DN20 PN40	Fixed	DN20 PN40	Fixed	78	80	138	//	153
49	G10-CF	DN15 PN40	Collar	DN20 PN40	Fixed	80	82	182	201	193
216	G10-CC	DN15 PN40	Collar	DN20 PN40	Collar	80	82	182	201	193
217	G10-CF	DN20 PN40	Collar	DN20 PN40	Fixed	80	82	182	201	193
218	G10-CC	DN20 PN40	Collar	DN20 PN40	Collar	80	82	182	201	193
52	G10-CC	DN15 PN40	Collar	DN25 PN40	Collar	80	82	182	201	193
55	G10-CC	DN20 PN40	Collar	DN25 PN40	Collar	80	82	182	201	193
56	G10-CF	DN25 PN40	Collar	DN25 PN40	Fixed	80	82	182	201	193
182	G10-CF	DN15 PN40	Collar	DN25 PN40	Fixed	80	82	182	201	193
183	G10-CF	DN20 PN40	Collar	DN25 PN40	Fixed	80	82	182	201	193
219	G14-CF	DN15 PN40	Collar	DN20 PN40	Fixed	80	82	182	201	193
220	G14-CC	DN15 PN40	Collar	DN20 PN40	Collar	80	82	182	201	193
221	G14-CF	DN20 PN40	Collar	DN20 PN40	Fixed	80	82	182	201	193
222	G14-CC	DN20 PN40	Collar	DN20 PN40	Collar	80	82	182	201	193
73	G14-CC	DN15 PN40	Collar	DN25 PN40	Collar	80	82	182	201	193
77	G14-CC	DN20 PN40	Collar	DN25 PN40	Collar	80	82	182	201	193
79	G14-CF	DN15 PN 100	Collar	DN25 PN40	Fixed	80	82	182	201	193
83	G14-CF	DN25 PN40	Collar	DN25 PN40	Fixed	80	82	182	201	193
184	G14-CF	DN15 PN40	Collar	DN25 PN40	Fixed	80	82	182	201	193
185	G14-CF	DN20 PN40	Collar	DN25 PN40	Fixed	80	82	182	201	193
223	G15-CF	DN15 PN40	Collar	DN20 PN40	Fixed	80	82	182	201	193
224	G15-CC	DN15 PN40	Collar	DN20 PN40	Collar	80	82	182	201	193
225	G15-CF	DN20 PN40	Collar	DN20 PN40	Fixed	80	82	182	201	193
226	G15-CC	DN20 PN40	Collar	DN20 PN40	Collar	80	82	182	201	193
174	G15-CC	DN15 PN40	Collar	DN25 PN40	Collar	80	82	182	201	193
175	G15-CC	DN20 PN40	Collar	DN25 PN40	Collar	80	82	182	201	193
176	G15-CF	DN25 PN40	Collar	DN25 PN40	Fixed	80	82	182	201	193
186	G15-CF	DN15 PN40	Collar	DN25 PN40	Fixed	80	82	182	201	193
187	G15-CF	DN20 PN40	Collar	DN25 PN40	Fixed	80	82	182	201	193
101	G20-CF	DN25 PN40	Collar	DN32 PN40	Fixed	89	101	228	249	242
103	G20-CF	DN25 PN40	Collar	DN40 PN40	Fixed	89	101	228	249	242
104	G20-CF	DN32 PN40	Collar	DN32 PN40	Fixed	89	101	228	249	242
105	G20-CF	DN32 PN40	Collar	DN40 PN40	Fixed	89	101	228	249	242
178	G20-CF	DN20 PN40	Collar	DN32 PN40	Fixed	89	101	228	249	242
179	G20-CF	DN20 PN40	Collar	DN40 PN40	Fixed	89	101	228	249	242
121	G25-CF	DN32 PN40	Collar	DN50 PN40	Fixed	100	100	265	294	284
122	G25-CF	DN32 PN40	Collar	DN40 PN40	Fixed	100	100	265	294	284
126	G25-CF	DN40 PN40	Collar	DN40 PN40	Fixed	100	100	265	294	284
180	G25-CF	DN25 PN40	Collar	DN50 PN40	Fixed	100	100	265	294	284
181	G25-CF	DN25 PN40	Collar	DN40 PN40	Fixed	100	100	265	294	284
132	G32-CF	DN32 PN40	Collar	DN50 PN16	Fixed	100	100	265	294	284
134	G32-CF	DN32 PN40	Collar	DN40 PN40	Fixed	100	100	265	294	284
137	G32-CF	DN40 PN40	Collar	DN40 PN40	Fixed	100	100	265	294	284
9	B38/L-CF	DN40 PN40	Collar	DN50 PN16	Fixed	120	119	327	359	349
12	B38/L-CF	DN40 PN40	Collar	DN50 PN40	Fixed	120	119	327	359	349
206	B38/L-CF	DN40 PN40	Collar	DN65 PN16	Fixed	120	119	327	359	349
207	B38/L-CF	DN40 PN40	Collar	DN65 PN40	Fixed	120	119	327	359	349
16	B38/L-CF	DN50 PN16	Collar	DN65 PN16	Fixed	120	119	327	359	349
208	B38/L-CF	DN50 PN40	Collar	DN50 PN16	Fixed	120	119	327	359	349
17	B38/L-CF	DN50 PN40	Collar	DN50 PN40	Fixed	120	119	327	359	349
18	B38/L-CF	DN50 PN40	Collar	DN65 PN16	Fixed	120	119	327	359	349
209	B38/L-CF	DN50 PN40	Collar	DN65 PN40	Fixed	120	119	327	359	349
15	B38/L-CC	DN50 PN16	Collar	DN50 PN16	Collar	120	119	327	359	349
188	B38/L-CF	DN50 PN16	Collar	DN50 PN16	Fixed	120	119	327	359	349
145	G40-CF	DN40 PN40	Collar	DN50 PN16	Fixed	120	119	327	359	349
210	G40-CF	DN40 PN40	Collar	DN50 PN40	Fixed	120	119	327	359	349
211	G40-CF	DN40 PN40	Collar	DN65 PN16	Fixed	120	119	327	359	349
212	G40-CF	DN40 PN40	Collar	DN65 PN40	Fixed	120	119	327	359	349
147	G40-CF	DN50 PN16	Collar	DN50 PN16	Fixed	120	119	327	359	349
148	G40-CF	DN50 PN16	Collar	DN65 PN16	Fixed	120	119	327	359	349
149	G40-CF	DN50 PN40	Collar	DN65 PN16	Fixed	120	119	327	359	349
213	G40-CF	DN50 PN40	Collar	DN50 PN16	Fixed	120	119	327	359	349
214	G40-CF	DN50 PN40	Collar	DN50 PN40	Fixed	120	119	327	359	349
215	G40-CF	DN50 PN40	Collar	DN65 PN40	Fixed	120	119	327	359	349
150	G40-CF	DN65 PN16	Collar	DN65 PN16	Fixed	120	119	327	359	349


Tabella riassuntiva valvole flangiate ANSI B16.5

Summary table flanged valves ANSI B16.5



Con leva/L
With lever / L



Con ghiera
With ring nut



Senza ghiera/S
Without ring nut / S



ANSI FLANGED VALVES

NGI Code	Family	Inlet Connection	Flanged Type	Outlet Connection	Flanged Type	H	HI	"L max Valve model S"	"L max Valve model L"	"L max Valve with ring nut"
22	D10/C-FF	1/2" ANSI 150	Fixed	1" ANSI 150	Fixed	76	75	133	//	148
21	D10/C-FF	1/2" ANSI 150	Fixed	3/4" ANSI 150	Fixed	75	75	133	//	148
23	D10/C-FF	1/2" ANSI 300	Fixed	1" ANSI 300	Fixed	78	78	136	//	151
24	D10/C-FF	1/2" ANSI 300	Fixed	3/4" ANSI 150	Fixed	75	78	136	//	151
25	D10/C-FF	1/2" ANSI 300	Fixed	3/4" ANSI 300	Fixed	78	78	136	//	151
44	G10-CC	1/2" ANSI 150	Collar	1" ANSI 150	Collar	80	82	182	201	193
45	G10-CC	1/2" ANSI 300	Collar	1" ANSI 150	Collar	80	82	182	201	193
46	G10-CC	1/2" ANSI 300	Collar	1" ANSI 300	Collar	80	82	182	201	193
47	G10-CC	3/4" ANSI 150	Collar	1" ANSI 150	Collar	80	82	182	201	193
48	G10-CC	3/4" ANSI 300	Collar	1" ANSI 150	Collar	80	82	182	201	193
152	G10-CF	1" ANSI 150	Collar	1" ANSI 150	Fixed	80	82	182	201	193
189	G10-CF	1/2" ANSI 150	Collar	1" ANSI 150	Fixed	80	82	182	201	193
190	G10-CF	1/2" ANSI 300	Collar	1" ANSI 150	Fixed	80	82	182	201	193
191	G10-CF	1/2" ANSI 300	Collar	1" ANSI 300	Fixed	80	82	182	201	193
192	G10-CF	3/4" ANSI 150	Collar	1" ANSI 150	Fixed	80	82	182	201	193
193	G10-CF	3/4" ANSI 300	Collar	1" ANSI 150	Fixed	80	82	182	201	193
227	G10-CF	3/4" ANSI 150	Collar	1" ANSI 300	Fixed	80	82	182	201	193
61	G14-CC	1/2" ANSI 150	Collar	1" ANSI 150	Collar	80	82	182	201	193
62	G14-CC	1/2" ANSI 300	Collar	1" ANSI 150	Collar	80	82	182	201	193
63	G14-CC	1/2" ANSI 300	Collar	1" ANSI 300	Collar	80	82	182	201	193
64	G14-CC	3/4" ANSI 150	Collar	1" ANSI 150	Collar	80	82	182	201	193
66	G14-CC	3/4" ANSI 300	Collar	1" ANSI 150	Collar	80	82	182	201	193
194	G14-CF	1/2" ANSI 150	Collar	1" ANSI 150	Fixed	80	82	182	201	193
195	G14-CF	1/2" ANSI 300	Collar	1" ANSI 150	Fixed	80	82	182	201	193
196	G14-CF	1/2" ANSI 300	Collar	1" ANSI 300	Fixed	80	82	182	201	193
197	G14-CF	3/4" ANSI 150	Collar	1" ANSI 150	Fixed	80	82	182	201	193
198	G14-CF	3/4" ANSI 300	Collar	1" ANSI 150	Fixed	80	82	182	201	193
59	G14-CF	1" ANSI 150	Collar	1" ANSI 150	Fixed	80	82	182	201	193
67	G14-CF	3/4" ANSI 300	Collar	1" ANSI 300	Fixed	80	82	182	201	193
68	G14-CF	3/4" ANSI 600	Collar	1" ANSI 600	Fixed	80	82	182	201	193
166	G15-CC	1/2" ANSI 150	Collar	1" ANSI 150	Collar	80	82	182	201	193
167	G15-CC	1/2" ANSI 300	Collar	1" ANSI 150	Collar	80	82	182	201	193
168	G15-CC	1/2" ANSI 300	Collar	1" ANSI 300	Collar	80	82	182	201	193
169	G15-CC	3/4" ANSI 150	Collar	1" ANSI 150	Collar	80	82	182	201	193
170	G15-CC	3/4" ANSI 300	Collar	1" ANSI 150	Collar	80	82	182	201	193
164	G15-CF	1" ANSI 150	Collar	1" ANSI 150	Fixed	80	82	182	201	193
171	G15-CF	3/4" ANSI 300	Collar	1" ANSI 300	Fixed	80	82	182	201	193
172	G15-CF	3/4" ANSI 600	Collar	1" ANSI 600	Fixed	80	82	182	201	193
199	G15-CF	1/2" ANSI 150	Collar	1" ANSI 150	Fixed	80	82	182	201	193
200	G15-CF	1/2" ANSI 300	Collar	1" ANSI 150	Fixed	80	82	182	201	193
201	G15-CF	1/2" ANSI 300	Collar	1" ANSI 300	Fixed	80	82	182	201	193
202	G15-CF	3/4" ANSI 150	Collar	1" ANSI 150	Fixed	80	82	182	201	193
203	G15-CF	3/4" ANSI 300	Collar	1" ANSI 150	Fixed	80	82	182	201	193
85	G20-CF	1" ANSI 150	Collar	1" 1/2 ANSI 150	Fixed	89	101	228	249	242
87	G20-CF	1" ANSI 150	Collar	1" 1/4 ANSI 150	Fixed	89	101	228	249	242
88	G20-CF	1" ANSI 150	Collar	2" ANSI 150	Fixed	89	101	228	249	242
89	G20-CF	1" ANSI 300	Collar	1" 1/2 ANSI 150	Fixed	89	101	228	249	242
90	G20-CF	1" ANSI 300	Collar	1" 1/2 ANSI 300	Fixed	89	101	228	249	242
91	G20-CF	1" ANSI 300	Collar	1" 1/4 ANSI 150	Fixed	89	101	228	249	242
92	G20-CF	1" ANSI 300	Collar	1" 1/4 ANSI 300	Fixed	89	101	228	249	242
93	G20-CF	1" ANSI 300	Collar	2" ANSI 150	Fixed	89	101	228	249	242
94	G20-CF	1" ANSI 600	Collar	1" 1/4 ANSI 300	Fixed	89	101	228	249	242
95	G20-CF	1" ANSI 600	Collar	2" ANSI 150	Fixed	89	101	228	249	242
96	G20-CF	1" 1/2 ANSI 150	Collar	1" 1/2 ANSI 150	Fixed	89	101	228	249	242
109	G25-CF	1" 1/2 ANSI 150	Collar	1" 1/2 ANSI 150	Fixed	100	100	265	294	284
110	G25-CF	1" 1/2 ANSI 150	Collar	2" ANSI 150	Fixed	100	100	265	294	284
111	G25-CF	1" 1/2 ANSI 300	Collar	1" 1/2 ANSI 150	Fixed	100	100	265	294	284
155	G25-CF	1" 1/2 ANSI 300	Collar	2" ANSI 150	Fixed	100	100	265	294	284
114	G25-CF	1" 1/4 ANSI 300	Collar	1" 1/2 ANSI 300	Fixed	100	100	265	294	284
129	G32-CF	1" 1/2 ANSI 150	Collar	1" 1/2 ANSI 150	Fixed	100	100	265	294	284
130	G32-CF	1" 1/2 ANSI 150	Collar	2" ANSI 150	Fixed	100	100	265	294	284
156	G32-CF	1" 1/2 ANSI 300	Collar	2" ANSI 150	Fixed	100	100	265	294	284
4	B38/L-CC	2" ANSI 150	Collar	2" ANSI 150	Collar	120	119	327	359	349
204	B38/L-CF	2" ANSI 150	Collar	2" ANSI 150	Fixed	120	119	327	359	349
160	B38/L-CF	2" ANSI 150	Collar	3" ANSI 150	Fixed	120	119	327	359	349
228	B38/L-CF	2" ANSI 300	Collar	3" ANSI 150	Fixed	120	119	327	359	349
177	B38/L-CF	2" ANSI 150	Collar	2" 1/2 ANSI 150	Fixed	120	119	327	359	349
5	B38/L-CF	2" ANSI 300	Collar	2" ANSI 150	Fixed	120	119	327	359	349
6	B38/L-CF	2" ANSI 300	Collar	2" ANSI 300	Fixed	120	119	327	359	349
159	B38/L-CF	2" ANSI 300	Collar	2" 1/2 ANSI 150	Fixed	120	119	327	359	349
143	G40-CC	2" ANSI 150	Collar	2" ANSI 150	Collar	120	119	327	359	349
157	G40-CF	2" 1/2 ANSI 150	Collar	2" 1/2 ANSI 150	Fixed	120	119	327	359	349
144	G40-CF	2" ANSI 150	Collar	3" ANSI 150	Fixed	120	119	327	359	349
158	G40-CF	2" ANSI 150	Collar	2" 1/2 ANSI 150	Fixed	120	119	327	359	349
205	G40-CF	2" ANSI 150	Collar	2" ANSI 150	Fixed	120	119	327	359	349