

## 530101 INTEGRAL SEALS - ISO 228 F



TWO-way ball valve, Three Pieces "Integral Seal"

Drive: Inox lever

Connection: ISO 228 female/female thread

Flow: Full

Material: Aisi 316L (1.4404)

Measure: from 1/4" to 4"

Seals: Virgin P.T.F.E.

Operating temperature: -20°C+160°C

Outer finish: Sandblasted


On request:

Antistatic device ATEX:


II 2G Ex h IIC T4 Gb

II 2D Ex h IIIC T135°C Db

M.O.C.A. CE 1935/2004



| G     | DN  | L   | I  | C   | H   | □     | STAY BOLTS | TIGHTENING | PN | Kg | CODE AISI 316L |
|-------|-----|-----|----|-----|-----|-------|------------|------------|----|----|----------------|
| 1/4   | 8   | 70  | 17 | 110 | 55  | 40    | 6 x 45     | 4          | 64 | -  | 530101 60401   |
| 3/8   | 10  | 70  | 17 | 110 | 55  | 40    | 6 x 45     | 4          | 64 | -  | 530101 60810   |
| 1/2   | 15  | 70  | 17 | 110 | 55  | 40    | 6 x 45     | 4          | 64 | -  | 530101 61410   |
| 3/4   | 20  | 80  | 19 | 110 | 60  | 45    | 6 x 50     | 4          | 40 | -  | 530101 62010   |
| 1     | 25  | 90  | 20 | 160 | 70  | 60    | 8 x 65     | 8          | 40 | -  | 530101 62610   |
| 1 1/4 | 32  | 100 | 22 | 160 | 80  | 70    | 8 x 70     | 10         | 25 | -  | 530101 63010   |
| 1 1/2 | 40  | 114 | 24 | 190 | 95  | 80    | 10 x 90    | 12         | 25 | -  | 530101 63410   |
| 2     | 50  | 136 | 26 | 190 | 100 | 90    | 10 x 100   | 13         | 25 | -  | 530101 63810   |
| 2 1/2 | 65  | 151 | 28 | 235 | 110 | Ø 140 | 10 x 120   | 20         | 25 | -  | 530101 64410   |
| 3"    | 80  | 168 | 24 | 285 | 130 | Ø 165 | 10 x 140   | 20         | 16 | -  | 530101 64810   |
| 4"    | 100 | 200 | 26 | 310 | 150 | Ø 200 | 12 X 170   | 22         | 16 | -  | 530101 65410   |



| POS. | DENOMINATION      | PCS | MAT.            |
|------|-------------------|-----|-----------------|
| 1    | Body              | 1   | AISI 316L       |
| 2    | Ball              | 1   | AISI 316L       |
| 3    | Sleeves           | 2   | AISI 316L       |
| 4    | Stem              | 1   | AISI 316L       |
| 5    | Ball Seals        | 2   | PTFE            |
| 6    | Stem Seal         | 1   | PTFE            |
| 7    | Stem Seal         | 1   | PTFE            |
| 8    | Stem or-Seal      | 1   | FKM             |
| 9    | Register ring     | 1   | AISI 304L (303) |
| 10   | Stay bolt         | 4   | AISI 304L       |
| 11   | Self-clamping nut | 4   | AISI 304L       |
| 12   | Nut               | 1   | AISI 304L       |
| 13   | Washer            | 1   | AISI 304L       |
| 14   | Lever             | 1   | AISI 304L       |
| 15   | Handle            | 1   | DUROPLAST (PF)  |

