



## 313025\_L\_DN125\_4 STANDARD SEALS - F DIN 11851




THREE-way ball valve 4 seals with "L" port  
Drive: ISO 5211 - DIN 3337 flange for actuator / Sliding lever / Lever  
Connection: DIN 11851 female/female/female  
Flow: Full  
Material: Aisi 304L (1.4307) - Aisi 316L (1.4404)  
Measure: 5"  
Seals: Virgin P.T.F.E.  
Operating temperature: -20°C+160°C  
Outer finish: Polished  
Antistatic device ATEX:  
II 2G Ex h IIC T4 Gb  
II 2D Ex h IIIC T135°C Db

On request:  
M.O.C.A. CE 1935/2004



| DIN                                        | DN  | Rd       | L   | H-H1-H2 | L1-L2  | PN | Kg. | ISO             | Ø a | b  | c x o        | □  | d  | e   | f   | Nm  | CODE AISI 304L | CODE AISI 316L |
|--------------------------------------------|-----|----------|-----|---------|--------|----|-----|-----------------|-----|----|--------------|----|----|-----|-----|-----|----------------|----------------|
| 5" per<br>attuatore/for<br>actuator        | 120 | 160x1/4" | 368 | H=167   | --     | 16 | -   | F10<br>/<br>F12 | 150 | 14 | 85<br>x<br>4 | 22 | 19 | 102 | 125 | 180 | 313025A45810   | 313025A65810   |
| 5" con leva<br>scorrevole/sliding<br>lever | 120 | 160x1/4" | 368 | H1=230  | C1=670 | 16 | -   | F10<br>/<br>F12 | 150 | 14 | 85<br>x<br>4 | 22 | 19 | 102 | 125 | 180 | 310425A45810   | 310425A65810   |
| 5" leva/lever                              | 120 | 160x1/4" | 368 | H2=200  | C2=500 | 16 | -   | F10<br>/<br>F12 | 150 | 14 | 85<br>x<br>4 | 22 | 19 | 102 | 125 | 180 | 310125A45810   | 310125A65810   |



| POS. | DENOMINATION       | PCS | MAT.      |
|------|--------------------|-----|-----------|
| 1    | Body               | 1   | AISI 316L |
| 2    | Manicotto centrale | 1   | AISI 316L |
| 3    | Manicotto laterale | 2   | AISI 316L |
| 4    | Manicotto tappo    | 1   | AISI 316L |
| 5    | Ball               | 1   | AISI 316L |
| 6    | Stem               | 1   | AISI 316L |
| 7    | Register ring      | 1   | AISI 304L |
| 8    | Ring nut           | 1   | AISI 303L |
| 9    | Reggispinta        | 1   | AISI 316L |
| 10   | Ball Seals         | 4   | PTFE      |
| 11   | Sleeve Seal        | 4   | PTFE      |
| 12   | Guarnizione asta   | 1   | PTFE      |
| 13   | Guarnizioni asta   | 1   | PTFE      |
| 14   | Thrust Seal        | 1   | PTFE      |
| 15   | Thrust Seal        | 1   | PTFE      |
| 16   | O-Ring asta        | 2   | FKM       |
| 17   | O-Ring Sleeve      | 8   | FKM       |
| 18   | Sleeve screw       | 30  | AISI 304L |
| 19   | Sleeve screw       | 10  | AISI 304L |

