


## 313060\_L\_4 SEALS STANDARD SEALS - VICTAULIC




THREE-way ball valve 4 seals with "L"  
Drive: ISO 5211 - DIN 3337 flange for actuator  
Connection: VICTAULIC  
Flow: full  
Material: Aisi 304L (1.4307) - Aisi 316L (1.4404)  
Measure: from DN20 to DN100  
Seals: Modified Virgin P.T.F.E.  
Operating temperature: -20°C +170°C  
Outer finish: Sandblasted

On request:  
Antistatic device ATEX:  
II 2G Ex h IIC T4 Gb  
II 2D Ex h IIIC T135°C Db  
M.O.C.A. CE 1935/2004  
• Seals made of:  
PTFE with glass -20°C+170°C  
PTFE with carbographite -20°C+180°C  
PTFE with inox -20°C+200°C  
UHMW High-molecular weight polyethylene -20°C+80°C



| VICTAULIC    | DN  | L   | ØB    | H     | PN  | Kg | ISO-DIN | Ø a | b  | Ø c x o | □  | d  | e   | f  | Bolts  | Nm  | CODE AISI 304L | CODE AISI 316L |
|--------------|-----|-----|-------|-------|-----|----|---------|-----|----|---------|----|----|-----|----|--------|-----|----------------|----------------|
| 3/4" x 26,9  | 20  | 92  | 26,9  | 56,5  | 100 | -  | F.04    | 54  | 9  | 30x3    | 11 | 10 | 42  | 6  | M5x16  | 23  | -              | 313060 62010   |
| 3/4" x 26,9  | 20  | 92  | 26,9  | 56,5  | 100 | -  | F.05    | 65  | 9  | 35x3    | 14 | 13 | 50  | 7  | M6x16  | 23  | -              | 313060 6201F   |
| 1" x 33,7    | 25  | 102 | 33,7  | 61    | 64  | -  | F.04    | 54  | 9  | 30x3    | 11 | 10 | 42  | 6  | M5x16  | 25  | -              | 313060 62610   |
| 1" x 33,7    | 25  | 102 | 33,7  | 61    | 64  | -  | F.05    | 65  | 12 | 35x3    | 14 | 13 | 50  | 7  | M6x16  | 25  | -              | 313060 6261F   |
| 1"1/4 x 42,4 | 32  | 118 | 42,4  | 81,5  | 64  | -  | F.05    | 65  | 12 | 35x4    | 14 | 13 | 50  | 7  | M6x20  | 33  | -              | 313060 63010   |
| 1"1/4 x 42,4 | 32  | 118 | 42,4  | 81,5  | 64  | -  | F.07    | 90  | 12 | 55x4    | 17 | 15 | 70  | 9  | M8x20  | 33  | -              | 313060 6301F   |
| 1"1/2 x 48,3 | 40  | 134 | 48,3  | 89    | 64  | -  | F.05    | 65  | 12 | 35x4    | 14 | 13 | 50  | 7  | M6x20  | 40  | -              | 313060 63410   |
| 1"1/2 x 48,3 | 40  | 134 | 48,3  | 89    | 64  | -  | F.07    | 90  | 12 | 55x4    | 17 | 15 | 70  | 9  | M8x20  | 40  | -              | 313060 6341F   |
| 2" x 60,3    | 50  | 144 | 60,3  | 91,5  | 40  | -  | F.07    | 90  | 12 | 55x4    | 17 | 15 | 70  | 9  | M8x20  | 50  | -              | 313060 63810   |
| 2" x 60,3    | 50  | 144 | 60,3  | 91,5  | 40  | -  | F.10    | 125 | 12 | 70x4    | 22 | 18 | 102 | 11 | M10x25 | 50  | -              | 313060 6381F   |
| 2"1/2 x 73   | 65  | 160 | 73    | 101,5 | 40  | -  | F.07    | 90  | 12 | 55x4    | 17 | 15 | 70  | 9  | M8x20  | 60  | -              | 313060 64410   |
| 2"1/2 x 73   | 65  | 160 | 73    | 101,5 | 40  | -  | F.10    | 125 | 12 | 70x4    | 22 | 18 | 102 | 11 | M10x25 | 60  | -              | 313060 6441F   |
| 3" x 88,9    | 80  | 200 | 88,9  | 116   | 40  | -  | F.07    | 90  | 12 | 55x4    | 17 | 15 | 70  | 9  | M8x20  | 110 | 313060 44810   | 313060 64810   |
| 3" x 88,9    | 80  | 200 | 88,9  | 116   | 40  | -  | F.10    | 125 | 12 | 70x4    | 22 | 18 | 102 | 11 | M10x25 | 110 | 313060 4481F   | 313060 6481F   |
| 4" x 114,3   | 100 | 240 | 114,3 | 131   | 16  | -  | F.07    | 90  | 12 | 55x4    | 17 | 15 | 70  | 9  | M8x20  | 130 | 313060 45410   | 313060 65410   |
| 4" x 114,3   | 100 | 240 | 114,3 | 131   | 16  | -  | F.10    | 125 | 12 | 70x4    | 22 | 18 | 102 | 11 | M10x25 | 130 | 313060 4541F   | 313060 6541F   |



| POS. | DENOMINATION  | PCS | MAT.             |
|------|---------------|-----|------------------|
| 1    | Body          | 1   | AISI 304L - 316L |
| 2    | Ball          | 1   | AISI 304L - 316L |
| 3    | Sleeves       | 3   | AISI 304L - 316L |
| 4    | Stem          | 1   | AISI 304L - 316L |
| 5    | Ball Seals    | 4   | PTFE             |
| 6    | Sleeve Seals  | 3   | PTFE             |
| 7    | Stem Seal     | 1   | PTFE             |
| 8    | Stem Seal     | 1   | PTFE             |
| 9    | Stem or-Seal  | 1   | FKM              |
| 10   | Register ring | 1   | AISI 304L (303)  |
| 11   | Locknut       | 1   | AISI 303         |

