

## 350101\_L\_DIVERTING STANDARD SEALS – ISO 228 F



THREE-way diverting ball valve 2 seals with “L” port

Drive: Inox lever

Connection: ISO 228 female/female/female thread

Flow: Full

Material: Aisi 316L (1.4404)

Measure: from 1/4” to 4”

Modified Virgin P.T.F.E.

Operating temperature: -20°C+170°C

Outer finish: Polished

On request:

Antistatic device ATEX:

II 2G Ex h IIC T4 Gb

II 2D Ex h IIIC T135°C Db

M.O.C.A. CE 1935/2004


• Seals made of:

PTFE with glass -20°C+170°C


PTFE with carbographe -20°C+180°C

PTFE with inox -20°C+200°C

UHMW High-molecular weight polyethylene -20°C+80°C



| G     | DN  | L   | I  | C   | H   | PN | Kg    | CODE AISI 316L |
|-------|-----|-----|----|-----|-----|----|-------|----------------|
| 1/4"  | 10  | 72  | 16 | 110 | 60  | 40 | 0,56  | 350101 60410   |
| 3/8"  | 10  | 72  | 16 | 110 | 60  | 40 | 0,53  | 350101 60810   |
| 1/2"  | 15  | 82  | 18 | 110 | 65  | 40 | 0,74  | 350101 61410   |
| 3/4"  | 20  | 92  | 19 | 160 | 70  | 40 | 1,37  | 350101 62010   |
| 1"    | 25  | 102 | 20 | 160 | 80  | 40 | 1,83  | 350101 62610   |
| 1"1/4 | 32  | 118 | 20 | 190 | 95  | 25 | 3,08  | 350101 63010   |
| 1"1/2 | 40  | 134 | 20 | 190 | 110 | 25 | 4,95  | 350101 63410   |
| 2"    | 50  | 144 | 20 | 220 | 120 | 25 | 6,03  | 350101 63810   |
| 2"1/2 | 65  | 160 | 22 | 285 | 130 | 25 | 8,75  | 350101 64410   |
| 3"    | 80  | 200 | 24 | 310 | 145 | 16 | 16,30 | 350101 64810   |
| 4"    | 100 | 240 | 26 | 310 | 160 | 16 | 27,30 | 350101 65410   |



| POS. | DENOMINATION          | PCS | MAT.                    |
|------|-----------------------|-----|-------------------------|
| 1    | Body                  | 1   | AISI 316L               |
| 2    | Ball                  | 1   | AISI 316L               |
| 3    | Sleeves               | 2   | AISI 316L               |
| 4    | Stem                  | 1   | AISI 316L               |
| 5    | Ball Seals            | 2   | PTFE Vergine Modificato |
| 6    | Guarnizione manicotti | 2   | PTFE                    |
| 7    | Stem Seal             | 1   | PTFE                    |
| 8    | Stem Seal             | 1   | PTFE                    |
| 9    | Stem or-Seal          | 1   | FKM                     |
| 10   | Register ring         | 1   | AISI 304L (303)         |
| 11   | Nut                   | 1   | AISI 304L               |
| 12   | Washer                | 1   | AISI 304L               |
| 13   | Lever                 | 1   | AISI 304L               |
| 14   | Handle                | 1   | DUROPLAST (PF)          |

