

133046 INTEGRAL SEALS - M/M SMS



TWO-way ball valve "Integral Seals"

Drive: ISO 5211 - DIN 3337 flange for actuator

Connection: SMS male/male

Flow: Full

Material: AISI 316L (1.4404)

Measure: from DN20 to DN100

Seals: Virgin P.T.F.E.

Operating temperature: -20°C+160°C

Outer finish: Polished

Screws for mounting actuator included

On request:

Antistatic device ATEX:


II 2G Ex h IIC T4 Gb

II 2D Ex h IIIC T135°C Db


M.O.C.A. CE 1935/2004

• Seals made of:

PTFE with glass -20°C+170°C



DN	SMS	Rd x 1/6"	L	H	I	PN	Kg	ISO-DIN	Ø a	b	Ø c x o	□	d	e	f	n° 4 BOLTS	Nm	COD. AISI 316L
20	(Reduced) 25	40 x 1/6"	114	52	20	100	-	F.04	54	9	30x3	11	10	42	6	M5x16	13	133046 62410
20	(Reduced) 25	40 x 1/6"	114	52	20	100	-	F.05	65	9	35x3	14	13	50	7	M6x16	13	133046 6241F
25	25	40 x 1/6"	124	55	20	64	-	F.04	54	9	30x3	11	10	42	6	M5x16	22	133046 62610
25	25	40 x 1/6"	124	55	20	64	-	F.05	65	9	35x3	14	13	50	7	M6x16	22	133046 6261F
40	38	60 x 1/6"	144	79,5	25	64	-	F.05	65	12	35x4	14	13	50	7	M6x20	32	133046 63410
40	38	60 x 1/6"	144	79,5	25	64	-	F.07	90	12	55x4	17	15	70	9	M8x20	32	133046 6341F
50	51	70 x 1/6"	156	87	26	40	4,80	F.05	65	12	35x4	14	13	50	7	M6x20	37	133046 63810
50	51	70 x 1/6"	156	87	26	40	-	F.07	90	12	55x4	17	15	70	9	M8x20	37	133046 6381F
65	63	85 x 1/6"	178	94,5	30	40	-	F.07	90	12	55x4	17	15	70	9	M8x20	60	133046 64410
65	63	85 x 1/6"	178	94,5	30	40	-	F.10	125	12	70x4	22	18	102	11	M10x25	60	133046 6441F
65	(Reduced) 76	98 x 1/6"	182	94,5	30	40	-	F.07	90	12	55x4	17	15	70	9	M8x20	60	133046 64510
65	(Reduced) 76	98 x 1/6"	182	94,5	30	40	-	F.10	125	12	70x4	22	18	102	11	M10x25	60	133046 6451F
80	76	98 x 1/6"	198	106	32	40	-	F.07	90	12	55x4	17	15	70	9	M8x20	75	133046 64810
80	76	98 x 1/6"	198	106	32	40	-	F.10	125	12	70x4	22	18	102	11	M10x25	75	133046 6481F
100	104	125 x 1/4"	206	120	32	25	-	F.07	90	12	55x4	17	15	70	9	M8x20	85	133046 65410
100	104	125 x 1/4"	206	120	32	25	-	F.10	125	12	70x4	22	18	102	11	M10x25	85	133046 6541F
100	101	132 x 1/6"	206	120	32	25	-	F.07	90	12	55x4	17	15	70	9	M8x20	85	133046 65510
100	101	132 x 1/6"	206	120	32	25	-	F.10	125	12	70x4	22	18	102	11	M10x25	85	133046 6551F



POS.	DENOMINATION	PCS	MAT.
1	Body	1	AISI 316L
2	Ball	1	AISI 316L
3	Sleeves	2	AISI 316L
4	Stem	1	AISI 316L
5	Ball Seals	2	PTFE
6	Sleeve Seals	2	PTFE
7	Stem Seal	1	PTFE
8	Stem Seal	1	PTFE
9	Stem or-Seal	1	FKM
10	Register ring	1	AISI 304L (303)
11	Locknut	1	AISI 303
12	Stop ring	2	AISI 304L

